Tuesday, 10/24/2006 11:08:57 AM User: 🕶 Kim Johnston **Process Sheet** : FITTING : CU-DAR001 Dart Helicopters Services **Drawing Name** Customer Job Number : 29141 : 10870 **Estimate Number** AJ4: : D32163 **Part Number** P.O. Number S.O. No. : 7/A : D3216 REV A : 10/24/2006 **Drawing Number** This Issue : N/A : NC Project Number Prsht Rev. : 10/24/2006 : SMALL /MED FAB First Issue Type **Drawing Revision** : 28146 Material **Previous Run** : 11/10/2006 Qty: 20 Um: Each **Due Date** Written By Checked & Approved By New Issue KJ/RF Comment Est Rev:B Now on Waterjet 06-07-03 JLM **Additional Product** Job Number: Description: Seq. #: Machine Or Operation: 304/316 .125 Sheet 1.0 M304S11GA Comment: Qty.: 0.6048 sf(s)0.0302 sf(s)/Unit Total: 304/316 .125 Sheet (M304S0125) Batch: 101463 2.0 WATER JET FLOW WATER JET Comment: FLOW WATER JET 1-Cut as per Dwg D3216 Dwg Rev:_A 061103 Prog Rev:__f 2-Deburr if necessary INSPECT PARTS AS THEY COME OFF MACHINE 3.0 QC2 Comment: INSPECT PARTS AS THEY COME OFF MACHINE SECOND CHECK 4.0 QC8 Comment: SECOND CHECK SMALL & MEDIUM FAB RESOURCE 1 SMALL FAB 1 5.0 Comment: SMALL & MEDIUM FAB RESOURCE 1 Deburr if necessary. 20 Tumble until parts have a polished finish.

Page 1

Form: rprocess

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES							
DATE	STEP		PROCED	URE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
		ŕ							
Part No):	PA	NR #: F	Fault Category:	NCR: Yes	No DQ	A:\T	<u>)</u> Date: <u>८</u>	x6/11/15

QA: N/C Closed: ____ Date: ___

NCR:		•	WORK ORD	ER NON-CONFORMANO	CE (NCR)	İ					
DATE		Description of NC		Corrective Action Section B	Verification	A	Ammanual				
	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspector			
						'					
	·					·					
					:						
			-								
						·					
								1			

NOTE: Date & initial all entries

Date: User:

Tuesday, 10/24/2006 11:08:58 AM

Kim Johnston-

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: FITTING

Job Number: 29141

Part Number: D32163

Job Number:



Seq. #:

Machine Or Operation:

Description:

6.0

QC5

INSPECT WORK TO CURRENT STEP



Comment: INSPECT WORK TO CURRENT STEP

7.0

PACKAGING 1

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Identify and Stock Location: ST 414



8.0

QC21

FINAL INSPECTION/W/O RELEASE



Comment: FINAL INSPECTION/W/O RELEASE



Job Completion

Dart Aerospace Ltd


W/O:			WC	RK ORDER CHANG	SES				
DATE	STEP	PRO	OCEDURE CHAI	NGE	Ву	By Date Qty			Approval QC Inspector
							ļ		
·		•							
			,						
Part No	:	PAR #:	Fault Cate	jory:	_ NCR: Ye	s No D	QA:	Date: _	
					QA	: N/C Clos	ed:	Date: _	······
NCR:			WORK ORDE	R NON-CONFORM	ANCE (N	CR)			
DATE	CTED	Description of NC			tion B	Veri	fication	Approval	Approval
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng			ction C	Chief Eng	QC Inspector
!			·					·	
									ļ.
				· · · · · · · · · · · · · · · · · · ·					
		•							

NOTE: Date & initial all entries





	DESIGN	DRAWN BY	5.55 AEDAODAO	- 170
1	CA?	Wallin Bi	DART AEROSPACI HAWKESBURY, ONTARIO, CA	
1	HECKED A	APPROVED	DRAWING NO.	REV. A
	af	-	D3216	SHEET 1 OF 1
T	DATE		TITLE	SCALE
	03.09.26		FITTING	1:1
T	Α	03.09.26	NEW ISSUE	



D3216-1/-3 FITTING

- 1) MATERIAL: AISI 304/316 PLATE, 0.125 THICK (REF DART SPEC. M304S11GA)
- 2) FINISH: MOLECRO POLISH
- 3) ALL DIMENSIONS ARE IN INCHES
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) BREAK ALL SHARP EDGES 0.005 TO 0.015

Copyright @ 2003 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

2						
·	 , , _ , _ , _ , _ , _ , _ 					
DART AERO	SPACE LTD				Work Order:	29141
					Part Number:	D3216-3
Description: 4	itting	4 A	<u> </u>		rait number.	
Inspection Dwg	g: D3216 Rev:	A			· · · · · · · · · · · · · · · · · · ·	Page 1 of 1
	FIRST	ARTICLE IN	ISPECTI	ON CHE	ECKLIST	
	X	First Artic			otype	
Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
2.600	4-0.030	2,610	1		Verni	
1.920	+1-0.010	1.920	1		verN	
0.250	+1-0.010	0.243	1		vern	
2.010	+1-0.010	2.002	1.		YER	
0.295	H-0.010	0.301	1		vern	
0.295	H-0.010 C	1.297	1		verN	
20, 257	10.006-0.001	0.257	✓		VerN	
1.500	4-0.010	1,505	✓		VerN	
RO.420	+1-0.010	RO.420	1		RADIUS GUAGE	
					9	
				<u> </u>	-	
						- .
And the second s			•			
					·	
	d					

Measured by: M	Audited by:	Prototype Approval:	
Date: (2 11 03	Date:	Date:	

Rev	Date	Change	Revised by	Approved
Α		New Issue	KJ/JLM	<u>. </u>